


JPCP-Air box pulse bag dust collector

Symbol standard




Scope of application

Scope: Widely applied in dust collection systems of crushing, packaging, silo tops, clinker coolers and various mills in cement plants, as well as in the dust collection of exhaust gases in metallurgy, chemical industry, machinery and civil boilers.

Advantages: The modules are connected by bolts, eliminating the need for welding. They can be assembled on site, are easy to move, and are simple to install. They are suitable for installation in narrow spaces and inside high-rise buildings. Both the inner and outer surfaces of the box are treated with phosphating and high-pressure electrostatic spraying, which has strong anti-corrosion ability and is durable. The air inlet and outlet, maintenance ladder and ash unloading direction are multi-faceted and adjustable, facilitating system design and on-site installation. When the filtration area is greater than 100 square meters, the ash hopper of the dust collector can adopt a screw conveyor + ash discharge valve. The ash discharge valve of the ash hopper of the dust collector is standard equipment.


Special requirements such as the material level gauge, fire sprinkler, explosion-proof pressure relief device, and heating and insulation of the ash hopper can be selected.


Appearance reference




Note: This product is customized to support customization, in order to ensure that your needs can be accurately realized, please dock with our engineers and tailor an exclusive solution.

[illegible]

[illegible]



[illegible]

Concentration (mg/Nm ³)									
Dust Removal Efficiency (%)	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99	99.99
Air Leakage Rate (%)	2	2	2	2	2	2	2	2	2
Operating Temperature (°C)	≤180	≤180	≤180	≤180	≤180	≤180	≤180	≤180	≤180
Total Equipment Weight (kg)	44000	52000	60000	65800	74000	80000	88000	96000	107000
Screw Conveyor	○	○	○	○	○	○	○	○	○
Scraper Conveyor	○	○	○	○	○	○	○	○	○
Pneumatic Conveying Device	○	○	○	○	○	○	○	○	○
Humidifying Granulator	○	○	○	○	○	○	○	○	○
Vibrating Motor	●	●	●	●	●	●	●	●	●
Differential Pressure Transmitter	○	○	○	○	○	○	○	○	○
Temperature Transmitter	○	○	○	○	○	○	○	○	○
Fire Sprinkler System	○	○	○	○	○	○	○	○	○
Level Gauge	●	●	●	●	●	●	●	●	●
Explosion Venting Device	○	○	○	○	○	○	○	○	○
Electric Heating and Insulation	○	○	○	○	○	○	○	○	○

We've got top tech & experienced logos team. Understand your needs. Contact us for exclusive dust removal plans!

Mobile: +86-19105206010

E-mail: logos@jsipxhj.com

Whatsapp: +86-19105206010

Website: www.jsjpac.com